




ORDERING NUMBER:244-707-000-012-A-B-C-D-E-F-G

ENVIRONMENT	A
Standard	1
Explosive Ex i	2
Explosive Ex ec/nA	3

DIAGNOSTIC	B
Without diagnostic	1
With diagnostic (SIL)	2

TRANSFER SENSITIVITY	C
Without integrator	0.1
	0.2
	0.5
	1
	2
	5
	10
	20
	50
With integrator	981
	1962
	4905
	9810
	19620
	49050
	98100

TRANSFER UNIT	D
Without integrator	$\mu A/pC$ 1
	mV/pC 2
With integrator	$\mu A/pCs$ 3
	mV/pCs 4

HP FILTER	E
Value in Hz	0.5
	1
	2
	5
	10
	20

LP FILTER	F
Value in Hz	500
	1000
	2000
	5000
	10000
	20000

INSTALLATION	G
Without rail DIN adaptor	1
With rail DIN adaptor	2

NO MODIFICATION ALLOWED
WITHOUT PRIOR AUTHORIZATION OF
SIL FUNCTIONAL SAFETY MANAGER

RoHS
DIRECTIVE 2011/65/UE

NO MODIFICATION ALLOWED
WITHOUT PRIOR AUTHORIZATION
OF **EX** MANAGER

7	30.03.22	22044	C.Jeunet	F.Micco	Ex marking details removed. Main label reworked and completed with EAC & UKCA.
6	11.01.21	20160	C.Jeunet	F.Micco	Marking BVC20.3861-X added.
5	01.07.20	20079	C.Jeunet	F.Micco	Dimensions in inches added in brackets.
4	06.04.20	20037	M.Waeber	F.Micco	Code A2/A3: CSA: MC 175074, Ex and EAC added.
		19145	M.Waeber	F.Micco	Code G: rail DIN adaptor modified,SELF-TAPPING ... MOUNTING TORQUE 0,6Nm added.
3	28.01.19	18360	M.Waeber	F.Micco	Code A2 and A3: EX CSA and KGS marking added.
2	16.11.18	18314	M.Waeber	F.Micco	IN+ was IN-, IN- was IN+.
		18306	M.Waeber	F.Micco	Code A1/A2/A3: EAC removed.
1	10.09.18	18237	M.Waeber	M.Hafner	Code A2 and A3 and ATEX /IECEx marking added.
Rev.	Date	Change N°	Drawn	Appr.	Description

INFORMATION CONTAINED IN THIS DOCUMENT MAY BE SUBJECT TO EXPORT CONTROL REGULATIONS OF THE EUROPEAN UNION, USA OR OTHER COUNTRIES. EACH RECIPIENT OF THIS DOCUMENT IS RESPONSIBLE FOR ENSURING THAT TRANSFER OR USE OF ANY INFORMATION CONTAINED IN THIS DOCUMENT COMPLIES WITH ALL RELEVANT EXPORT CONTROL REGULATIONS. ECN NO. N/A
THIS DRAWING AND/OR ITS DESIGN IS PROPRIETARY AND THE PROPERTY OF MEGGITT SA. THIS DRAWING AND/OR ITS DESIGN IS PROVIDED TO YOU SUBJECT TO THE CONDITION THAT IT SHALL NOT BE REPRODUCED, COPIED, LENT OR OTHERWISE DISPOSED OF, DIRECTLY OR INDIRECTLY. IT SHALL NOT BE USED TO FURNISH ANY INFORMATION FOR THE MAKING OF DRAWINGS, PRINTS OR APPARATUS, OR PARTS THEREFORE, EXCEPT WHERE OTHERWISE EXPRESSLY PROVIDED FOR BY CONTRACT WITH MEGGITT SA.
© MEGGITT SA 2018. ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC, MECHANICAL, PHOTOCOPIED OR IN ANY OTHER MANNER WITHOUT THE PRIOR WRITTEN PERMISSION OF MEGGITT SA.

MFR S3960	MSS-CAD
Scale 1:1	Format A3

MEGGITT
Meggitt SA
Rte de Moncor 4, CH-1752 Villars-sur-Glâne, Switzerland

Material:	Repl.by:	Repl.for:
Linear Tolerances [mm]	Radius / Chamfers [mm]	Tol. on angle [°]
> 0,5 ... 3	> 3 ... 6	> 6 ... 10
> 30 ... 120	> 120 ... 400	> 400 ... 1200
> 1200 ... 4000	> 4000 ... 12000	> 12000 ... 40000
-	-	-
Drawn	18.07.18	M.Waeber
Check.	18.07.18	H-P.Aeby
Appr.	18.07.18	F.Micco

SIGNAL CONDITIONER
IPC707

DWG.N°
244-707-000 V 012